

Actuate One™

One Design
One Server
One User Experience

Installing Actuate BIRT Designer Professional

Information in this document is subject to change without notice. Examples provided are fictitious. No part of this document may be reproduced or transmitted in any form, or by any means, electronic or mechanical, for any purpose, in whole or in part, without the express written permission of Actuate Corporation.

© 1995 - 2011 by Actuate Corporation. All rights reserved. Printed in the United States of America.

Contains information proprietary to:
Actuate Corporation, 2207 Bridgepointe Parkway, San Mateo, CA 94404

www.actuate.com
www.birt-exchange.com

The software described in this manual is provided by Actuate Corporation under an Actuate License agreement. The software may be used only in accordance with the terms of the agreement. Actuate software products are protected by U.S. and International patents and patents pending. For a current list of patents, please see <http://www.actuate.com/patents>.

Actuate Corporation trademarks and registered trademarks include:
Actuate, ActuateOne, the Actuate logo, BIRT, Collaborative Reporting Architecture, e.Analysis, e.Report, e.Reporting, e.Spreadsheet, Encyclopedia, Interactive Viewing, OnPerformance, Performancesoft, Performancesoft Track, Performancesoft Views, Report Encyclopedia, Reportlet, The people behind BIRT, and XML reports.

Actuate products may contain third-party products or technologies. Third-party trademarks or registered trademarks of their respective owners, companies, or organizations include:

Adobe Systems Incorporated: Flash Player. Apache Software Foundation (www.apache.org): Axis, Axis2, Batik, Batik SVG library, Commons Command Line Interface (CLI), Commons Codec, Derby, Shindig, Struts, Tomcat, Xerces, Xerces2 Java Parser, and Xerces-C++ XML Parser. Bits Per Second, Ltd. and Graphics Server Technologies, L.P.: Graphics Server. Bruno Lowagie and Paulo Soares: iText, licensed under the Mozilla Public License (MPL). Castor (www.castor.org), ExoLab Project (www.exolab.org), and Intalio, Inc. (www.intalio.org): Castor. Codejock Software: Xtreme Toolkit Pro. DataDirect Technologies Corporation: DataDirect JDBC, DataDirect ODBC. Eclipse Foundation, Inc. (www.eclipse.org): Babel, Data Tools Platform (DTP) ODA, Eclipse SDK, Graphics Editor Framework (GEF), Eclipse Modeling Framework (EMF), and Eclipse Web Tools Platform (WTP), licensed under the Eclipse Public License (EPL). Jason Hsueth and Kenton Varda (code.google.com): Protocole Buffer. ImageMagick Studio LLC.: ImageMagick. InfoSoft Global (P) Ltd.: FusionCharts, FusionMaps, FusionWidgets, PowerCharts. Mark Adler and Jean-loup Gailly (www.zlib.net): zlib. Matt Ingenthron, Eric D. Lambert, and Dustin Sallings (code.google.com): Spymemcached, licensed under the MIT OSI License. International Components for Unicode (ICU): ICU library. KL Group, Inc.: XRT Graph, licensed under XRT for Motif Binary License Agreement. LEAD Technologies, Inc.: LEADTOOLS. Microsoft Corporation (Microsoft Developer Network): CompoundDocument Library. Mozilla: Mozilla XML Parser, licensed under the Mozilla Public License (MPL). MySQL Americas, Inc.: MySQL Connector. Netscape Communications Corporation, Inc.: Rhino, licensed under the Netscape Public License (NPL). Oracle Corporation: Berkeley DB. PostgreSQL Global Development Group: pgAdmin, PostgreSQL, PostgreSQL JDBC driver. Rogue Wave Software, Inc.: Rogue Wave Library SourcePro Core, tools.h++. Sam Stephenson (prototype.conio.net): prototype.js, licensed under the MIT license. Sencha Inc.: Ext JS. Sun Microsystems, Inc.: JAXB, JDK, Jstl. ThimbleWare, Inc.: JMemcached, licensed under the Apache Public License (APL). World Wide Web Consortium (W3C)(MIT, ERCIM, Keio): Flute, JTIty, Simple API for CSS. XFree86 Project, Inc.: (www.xfree86.org): xvfb.

All other brand or product names are trademarks or registered trademarks of their respective owners, companies, or organizations.

Document No. 110303-2-745510 March 1, 2011

Contents

Introduction	iii
Understanding ActuateOne	iii
About Actuate BIRT Designer Professional documentation	iii
Obtaining documentation	vi
Using PDF documentation	vi
Obtaining late-breaking information and documentation updates	vi
About obtaining technical support	vii
About supported and obsolete products	vii
Typographical conventions	vii
Syntax conventions	viii
 Chapter 1	
Installing Actuate BIRT Designer Professional	1
About Actuate BIRT Designer Professional	2
Obtaining the Actuate BIRT Designer Professional license key file	2
Installing the Actuate BIRT Designer Professional license key	2
Installing Actuate BIRT Designer Professional	3
Updating online documentation and localization resources	9
About the Actuate BIRT Designer Professional eclipse directories	9
 Index	11

Understanding ActuateOne

ActuateOne™ includes Release 11 of Actuate® Corporation's value-added products for the Eclipse BIRT open source project. ActuateOne institutes a paradigm shift in Business Intelligence technology from individualized tools to a suite of integrated capabilities within a single environment. ActuateOne is one designer, one server, one integrated environment providing a single unified user experience. A common architecture is precisely what today's information-rich global environment requires for development and deployment. This unified Actuate technology continues to enable information management and delivery while supporting advanced security, massive scalability, flexibility through programming, and reuse. ActuateOne realizes our corporate vision of a single user experience by providing extended new analytics capabilities reaching a broader spectrum of users. The new dashboard functionality supports building gadgets to enhance the visual presentation of information. Export to Excel® and other formats integrates Actuate output with other tools on the end-user desktop. Actuate's cloud-ready server supports elastic clustering for dynamic provision of uninterrupted efficient service.

Information, live demos, and endorsements about this release are available from birt-exchange.com and actuate.com. The Actuate site also makes "The Forrester Wave™: Open Source Business Intelligence (BI), Q3 2010" report freely available. The report recognizes Actuate and its value-added offerings for BIRT as a leader in Open Source Business Intelligence.

About Actuate BIRT Designer Professional documentation

The printed and online documentation includes the materials described in Table I-1. You can obtain HTML and PDF files from birt-exchange.com or

support.actuate.com. Documentation updates are created in response to customer requirements and are available at both sites.

Table I-1 Product documentation









For information about this topic	See the following resource
Late-breaking information and documentation updates	Release notes and updated localization, HTML help, and PDF files posted on birt-exchange.com and Actuate Support
Installing Actuate BIRT Designer Professional	 <p><i>Installing Actuate BIRT Designer Professional</i></p>
Using Actuate BIRT Designer Professional and additional data drivers Using Flash functionality and HTML buttons in a report design Deploying BIRT reports to Actuate BIRT iServer, configuring data source connections and fonts on iServer, using encryption	 <p><i>Using Actuate BIRT Designer Professional</i></p>
Accessing a BIRT Information Object and creating information object queries Creating and caching information objects Actuate SQL reference Configuring database types Mapping data types, functions, and operators	 <p><i>Designing BIRT Information Objects</i></p>
Viewing, navigating, and editing BIRT reports Formatting reports, organizing data, and hiding and filtering data in reports Modifying charts and cross tabs Reference for configuring BIRT viewer and BIRT Viewer URIs	 <p><i>Working with Actuate BIRT Viewers</i></p>

Table I-1 Product documentation (continued)

For information about this topic	See the following resource
Analyzing data Using a cross tab to organize, format, calculate, and filter data Working with charts Exporting data and printing Customizing Data Analyzer	 <i>Using BIRT Data Analyzer</i>
Glossary	 <i>Actuate Glossary</i>

The printed documentation for Actuate BIRT Designer Professional also includes the development and programming materials described in Table I-2.

Table I-2 Development and programming documentation

For information about this topic	See the following resource
Developing and customizing reports using BIRT Designer Professional Planning report designs, and laying out and formatting reports Accessing data, building charts, and preparing reports for international data Enhancing reports using interactivity, shared libraries, and localized text	 <i>BIRT: A Field Guide</i>
Installing and deploying BIRT Understanding BIRT architecture Building and deploying customized reports using scripting and BIRT APIs, integrating BIRT functionality into applications, and working with the BIRT extension framework	 <i>Integrating and Extending BIRT</i>

Obtaining documentation

Actuate provides technical documentation in PDF, HTML, and print formats. Actuate products access HTML-format documentation from the Actuate web site. If you do not have web access or prefer to use documentation hosted on your local system, install the documentation from the Online Documentation and Localization Resource Files DVD or ftp package. You can download PDF or view HTML versions of the documentation from birt-exchange.com. If you purchase the product, you can also download documentation using ftp as instructed in the e-mail from Actuate Distribution.

If you request a physical package, install the files using the Online Documentation and Localization Resource Files DVD, which ships as part of your Actuate software package. If you select the typical setup when you install from the DVD, the installation creates the Actuate11\Manuals directory.

Using PDF documentation

In each book, the table of contents and the index page numbers contain links to the corresponding topics in the text. In the table of contents, you access the link by positioning the pointer over the topic. In the index, you access the link by positioning the pointer over the page number.

The Actuate11\Manuals directory contains a file, master-index.pdx, which is an Adobe Acrobat Catalog utility that can search all the documents in the Actuate Manuals directory. This tool provides a convenient way to find a particular topic in Actuate documentation.

Obtaining late-breaking information and documentation updates

The release notes contain late-breaking news about Actuate products and features. The release notes are available on the Actuate Support site at the following URL:

<http://support.actuate.com/documentation/releasenotes>

Updates to documentation in PDF form are available at the following URL:

<http://support.actuate.com/documentation>

A new user must first register on the site and log in to view the release notes. [Birt-exchange.com](http://birt-exchange.com) and actuate.com also provide product update information.

About obtaining technical support

You can contact customer support by e-mail or telephone. For contact information, go to the following URL:

<http://www.actuate.com/services/support/contact-support/>

About supported and obsolete products

The Actuate Support Lifecycle Policy and Supported Products Matrix are available on the Actuate Support web site. You can access the Support site at the following URL:

<http://support.actuate.com/documentation/spm>

Typographical conventions

Table I-3 describes the typographical conventions in this document.

Table I-3 Typographical conventions

Item	Convention	Example
Code examples	Monospace	<code>Dim Text1 As String</code>
File names	Initial capital letter, except where file names are case-sensitive	<code>Detail.roi</code>
Key combination	A + sign between keys means to press both keys at the same time	<code>Ctrl+Shift</code>
Menu items	Capitalized, no bold	<code>File</code>
Submenu items	Separated from the main menu item with a small arrow	<code>File→New</code>
User input or user response	Monospace	<code>M*16*</code>
User input in XML and Java code	Monospace italics	<code>chkjava.exe</code> <code>cab_name.cab</code>

Syntax conventions

Table I-4 describes the symbols used to present syntax.

Table I-4 Syntax conventions

Symbol	Description	Example
[]	Optional item	[Alias<alias name>]
	Array subscript	matrix[]
{ }	Groups two or more mutually exclusive options or arguments when used with a pipe	{While Until}
	Defines array contents	{0, 1, 2, 3}
	Delimiter of code block	public ACJDesigner(){} }
	Separates mutually exclusive options or arguments in a group	Exit {Do For Function Sub}
	Java OR operator	int length 4
< >	Argument you must supply	<expression to format>
	Delimiter in XML	<xsd:sequence>

Installing Actuate BIRT Designer Professional

This chapter contains the following topics:

- About Actuate BIRT Designer Professional
- Obtaining the Actuate BIRT Designer Professional license key file
- Installing the Actuate BIRT Designer Professional license key
- Installing Actuate BIRT Designer Professional
- Updating online documentation and localization resources
- About the Actuate BIRT Designer Professional eclipse directories

About Actuate BIRT Designer Professional

Actuate BIRT Designer Professional is a report designer for report developers who want to customize report designs with additional Java code. Actuate BIRT Designer Professional installs the full Eclipse workbench. This chapter describes how to install Actuate BIRT Designer Professional.

Obtaining the Actuate BIRT Designer Professional license key file

New customers receive an e-mail that contains the license key file information when Actuate processes their order. If you have a problem with a license key file, contact Actuate Customer Care at customercare@actuate.com.

To obtain a new file for licensed products, visit the Support web site at:

<http://support.actuate.com>

A maintenance customer should have login information for the Actuate Support web site. If you do not have access, please contact Actuate Support at support@actuate.com.

If you are not a direct Actuate customer, the partner or distributor who provides the product arranges for your license key file. If you have a problem obtaining your license key file, please contact Actuate Customer Care at customercare@actuate.com

Installing the Actuate BIRT Designer Professional license key

You receive the Actuate BIRT Designer Professional license key from Actuate Licensing when you purchase the product. The name for an Actuate BIRT Designer Professional license key file is:

`Actuate_BRD_key_<ID>.xml`

You supply the license key when prompted by the installation program. The program installs Actuate BIRT Designer Professional as an Eclipse component.

For Actuate BIRT Designer Professional, the install program copies the license file to the `C:\Program Files\Actuate11\BRDPro\eclipse\plugins\com.actuate.birt.report.viewer_<version>\portal\WEB-INF` directory. All Actuate BIRT Designer Professional instances must use a single license file. If you have multiple Actuate BIRT instances running, each installation must reference the same license file.

Installing Actuate BIRT Designer Professional

You install Actuate BIRT Designer Professional using the installation wizard. The installation wizard:

- Asks you to accept or decline the license agreement
- Prompts you to set the install location

The default install location for supported Microsoft Windows systems is:

`C:\Program Files\Actuate<Release family number>\BRDPro`

where <Release family number> is the first digit of the Actuate product suite release number. For example, Actuate BIRT Designer Professional release 11 uses a directory named Actuate11.

- Installs the Eclipse workbench into `BRDPro\eclipse`
- Copies Actuate BIRT Designer Professional features into `BRDPro\eclipse\features`
- Copies Actuate BIRT Designer Professional plug-ins and JAR files into `BRDPro\eclipse\plugins`
- Creates an entry in the Start menu for Actuate BIRT Designer Professional

The entry is BIRT Designer Professional and is under the Actuate <Release family number> group. For example, Actuate BIRT Designer Professional Release 11 is in the Actuate 11 group in the Start menu.

When you install Actuate BIRT Designer Professional on Windows Vista, you must perform an additional step manually to set the designer to run as an administrator.

How to install Actuate BIRT Designer Professional on Microsoft Windows systems

To evaluate BIRT Designer Professional, go to the following location to download the installation executable file: <http://www.birt-exchange.com>

Save the file to your computer. Alternatively, you can run the installation program directly from the BIRT exchange web site. If you are a purchasing customer, you can download BIRT Designer Professional from an Actuate ftp site or install from a product DVD. To install BIRT Designer Professional, perform the following tasks:

- 1 If you downloaded BIRT Designer Professional, run the `ActuateBIRTDesignerProfessional.exe` file. If you have a DVD or ftp distribution, run `setup.exe` in the BIRT Designer directory. A welcome message appears, as shown in Figure 1-1. Choose Next.



Figure 1-1 Welcome message

- 2 Read and accept the license agreement, as shown in Figure 1-2. Choose Next.




Figure 1-2 License agreement

- 3 Setup prompts to install prerequisite software. Choose Next.

- 4 Accept the default destination folder, C:\Program Files\Actuate11\BRDPro, as shown in Figure 1-3. Select Typical, then choose Next.



Figure 1-3 Choosing the destination folder in setup type

Alternatively, to install specific features, select Custom, then choose Next, as shown in Figure 1-4.



Figure 1-4 Specifying a custom installation

- 5 Accept the trial license option, as shown in Figure 1-5. Alternatively, select Use the license you have purchased. Browse to that file. Then, choose Next.



Figure 1-5 Selecting a license option

If customizing your installation, select features to install, as shown in Figure 1-6. Then, choose Next.




Figure 1-6 Selecting features to install

- 6 In Start Copying Files, review installation settings. To change settings, choose Back. To start copying files, choose Next, as shown in Figure 1-7.



Figure 1-7 Reviewing installation settings

- 7 Setup Status displays the install progress as shown in Figure 1-8. To stop the installation, choose Cancel.




Figure 1-8 Monitoring installation progress

- When installation progress completes, a message that BIRT Designer Professional installed successfully appears, as shown in Figure 1-9. To exit the installation wizard, choose Finish.



Figure 1-9 Exiting the installation wizard

The installation program installs the BIRT Designer Professional icon on the Start menu, as shown in Figure 1-10.



Figure 1-10 BIRT Designer Professional icon

How to set Actuate BIRT Designer Professional to run as an administrator on Windows Vista

- In Windows Explorer, navigate to the eclipse subdirectory of the Actuate BIRT Designer Professional installation directory. The default location of this directory is:
`C:\Program Files\Actuate11\BRDPro\eclipse`
- Right-click `eclipse.exe` and choose Properties.
- On Properties, choose Compatibility.
- On Compatibility, select Run this program as an administrator. Choose OK.

To uninstall Actuate BIRT Designer Professional, use Add/Remove Programs in Control Panel. The installation wizard guides you through the uninstall process.

When prompted whether to remove the setup directory, choose Yes if you plan to reinstall. You must clean up the installation environment by removing files from a previous installation, such as an expired license file, to reinstall the product.

Updating online documentation and localization resources

Both documentation and localization resource file updates can become available between releases. The Actuate Localization and Online Documentation Update tool provides replacement files and additional files for PDF documentation, online help, and localization of installed Actuate products. The tool is available from the Actuate Customer Support web site, also known as the Support site, at the following URL:

<http://www.actuate.com/docupdate11/docupdate.html>

Use the Actuate Localization and Online Documentation Update tool that corresponds to the release of your Actuate products. For example, if you have Actuate 11, install the Actuate Localization and Online Documentation Update for Release 11. If no update tool for your release appears on the Support site, no updates exist for the release.

About the Actuate BIRT Designer Professional eclipse directories

Upon completing the install process, the Eclipse installation in the report designer eclipse directories contains a fully functional version of BIRT that requires no further Eclipse downloads or installs. Actuate BIRT Designer Professional installs the full Eclipse workbench in the eclipse subdirectory.

The eclipse subdirectories of Actuate BIRT Designer Professional includes the following additional Actuate components to provide more functionality:

- Language properties files for standard templates
- A themes library
- ODA JDBC drivers
- Localized JAR files for various user interface components
- Eclipse features and JAR files that offer additional functionality, including:
 - The ability to publish a report to Actuate BIRT iServer
 - An Actuate Information Object data source

Index

A

- accessing online documentation vi
- Actuate BIRT license keys 2
- Actuate BIRT licensing options for 2
- adding
 - license keys 2
- Adobe Acrobat Catalog vi

B

- BIRT Designer Professional
 - installing 3
 - overview 2

C

- changing
 - licensing options 2
- current release iv, vi, 9
- customer license keys 2

D

- data source plug-in 9
- default directories 3, 9
- destination folders 5
- directories 3, 9
- directories, installation default 4
- documentation
 - conventions used in vii
 - obtaining vi
- documentation updates 9
- downloading
 - documentation vi
 - product files 3
- drivers 9

E

- eclipse directory 9
- Eclipse features 9
- Eclipse workbench 3, 9

F

- features 3
- files
 - downloading product 3
 - installing license key 2
 - obtaining license key 2

H

- help
 - updating 9

I

- index (online documentation) vi
- indirect customer licenses 2
- information object data sources 9
- installation
 - Actuate BIRT license keys 2
 - BIRT Designer Professional 3
- installation application 3
- installation wizard 3
- installation, performing the tasks of 3
- internationalization 9
- iServer System
 - installing Actuate BIRT license keys and 2

J

- .jar files 3, 9
- JDBC drivers 9

L

- language properties files 9
- language settings 6
- libraries 9
- license agreement 4
- license key files 2
- licensing options 2
- links vi
- Locale Information settings 6
- locales
 - designing reports and 9
 - updating resources for 9

Localization and Online Documentation
Update tool 9

M

maintenance customers 2
Manuals directory vi
master index
finding vi

N

new customer licenses 2

O

ODA JDBC drivers 9
online documentation 9
online documentation, downloading vi
options (licensing) 2

P

PDF documentation vi, 9
plug-ins 3
product updates vi, 9
publishing reports 9

R

regional settings 6

release notes iv, vi
reports
publishing 9
resource files 9

S

Start menu 3
supported products page vii
syntax conventions (documentation) viii

T

templates 9
themes library 9
typographic conventions
(documentation) vii

U

updates vi, 9

W

Windows systems
installing Actuate BIRT license keys for 2
workbench 3, 9